

FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK
OFFICEATTORNEY'S DOCKET NO.
NL000372TRANSMITTAL LETTER TO THE UNITED STATES DESIGNED/ELECTED OFFICE
(DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. Application No. (if known, see 37 CFR 1.5)

09/868749

INTERNATIONAL APPLICATION NO.

PCT/EP00/10286

INTERNATIONAL FILING DATE

OCTOBER 18, 2000

PRIORITY DATE CLAIMED

OCTOBER 20, 1999 AND JUNE 28, 2000

TITLE OF INVENTION
DEVICE AND METHOD OF BROWSING AN IMAGE COLLECTIONAPPLICANT(S) FOR DO/EO/US
ELISE A.W.H. VAN DEN HOVEN and JOSEPHUS H. EGGEN

Applicant(s) herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
 2. ☐ This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
 3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
 4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
 5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c)(2))
 - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
 6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2))
 7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☒ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
 8. ☐ A translation of the amendment to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).
 9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
 10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).
- Items 11. to 16. below concern document(s) or information included:
11. ☐ An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98.
 12. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included.
 13. ☒ A FIRST preliminary amendment.
☐ A SECOND OR SUBSEQUENT preliminary amendment.
 14. ☐ A substitute specification.
 15. ☒ A change of power of attorney and/or address letter.
 16. ☒ Other items or information:
International Publication No. WO 01/29702 A2
Charge Authorization
1 sheet of drawing

CERTIFICATE OF EXPRESS MAILING

Express Mail Mailing Label No. EL686948864


Date of Deposit JUNE 20, 2001

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Valerie Deas

Typed Name

Signature

U.S. APPLICATION NO. 09/868749 (known, see 37 C.F.R. 1.5)		INTERNATIONAL APPLICATION NO. PCT/EP00/10286		ATTORNEY'S DOCKET NUMBER NL000372	
17 [] The following fees are submitted: BASIC NATIONAL FEE (37 C.F.R. 1.492(A)(1)-(5)): Search Report has been prepared by the EPO or JPO 00 \$940. International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) 00 \$720. No international preliminary examination fee paid to USPTO (37 C.F.R. 1.482) but international search fee paid to USPTO (37 C.F.R. 1.445(a)(2)) \$760.00 Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO 00 \$970. International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) 96.00 \$ ENTER APPROPRIATE BASIC FEE AMOUNT = \$ 970.00				CALCULATIONS (PTO USE ONLY)	
Surcharge of \$130.00 for furnishing the oath or declaration later than [] 20 [] 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	8 - 20 =	0	X \$ 18.00	\$	
Independent claims	2 - 3 =	0	X \$ 78.00	\$	
MULTIPLE DEPENDENT CLAIMS (if applicable)		1	+ \$280.00	\$280.00	
TOTAL OF ABOVE CALCULATIONS =				\$1150.00	
Reductions by 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 C.F.R. 1.5, 1.27, 1.28)				\$	
SUBTOTAL =				\$1150.00	
Processing fee of \$130.00 for furnishing the English translation later than [] 20 [] 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$1150.00	
Fee for recording the enclosed assignment (37 C.F.R. 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28, 3.31). \$40.00 per property				+\$40.00	
TOTAL FEES ENCLOSED =				\$1190.00	
				Amount to be Refunded	\$
				Charged	\$1,190.00
a. [] A check in the amount \$_____ to cover the above fees is enclosed.					
b. [X] Please charge my Deposit Account No. 14-1270 in the amount of \$1,190.00 to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. [X] The Commissioner is hereby authorized to charge any additional fee, with the exception of the Base Issue Fee, which may be required, or credit any overpayment to Deposit Account No. 14-1270.					
NOTE: Where an appropriate time limit under 37 C.F.R. 1.484 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
Corporate Patent Counsel Philips Electronics North America Corporation 590 White Plains Road Tarrytown, NY 10591				(SIGNATURE)  RUSSELL GROSS (NAME) 40 007 (REGISTRATION NUMBER)	

1/PRTS

551 Rec'd PC

09/068749

20 JUN 2001

11.10.2000

Device and method of browsing an image collection

The invention relates to a device for browsing an image collection, comprising browsing means for showing a sequence of representations in a browsing area, each representation corresponding to an image from the image collection, and display means for showing, in response to a selection of a representation from said sequence, in a display area an image from the image collection corresponding to the selected representation.

The invention further relates to a method of browsing an image collection, comprising showing a sequence of representations in a browsing area, each representation corresponding to an image from the image collection, and showing, in response to a selection of a representation from said sequence, in a display area an image from the image collection corresponding to the selected representation.

A lot of people have image collections, usually stored as a collection of photos in a photo book. However, browsing the photos in a photo book is very time-consuming, since it is essentially a linear process. As more and more people have access to devices such as Photo CD viewers and computers, it seems logical to digitize these photos so they can be managed, sorted and browsed on the computer or on a television screen. Several photo development shops already offer the service of creating a CD-ROM with digital versions of the developed photos.

These digital images can be browsed using an image browsing device. This can be a standalone device, but also a part of another device. For example, it could be a computer program which runs on a general purpose computer and which can read images from a CD-ROM and show them on the computer's display device.

To show the available images to a user, conventional image browsing devices typically operate using thumbnails or other representations of images in the image collection. Such a representation is usually smaller than the actual image, so that a whole sequence of representations can be shown at once on the computer or television screen, rather than just one or two images at a time. A user can select a representation from the sequence using a mouse, keyboard or other input device, and then see the corresponding image.

However, this approach is not very effective when the number of representations in the sequence is too large to fit on one screen. Sometimes the representations and one actual image are shown together on the screen, leaving even less room for the sequence to be shown. To facilitate such large collections, image browsing devices typically use a metaphor borrowed from physical photo books. A portion of a sequence of representations is shown in some arrangement, typically a mosaic, and buttons are provided to go to the next "page in the photo book". Pressing such a button then results in another portion of the sequence being shown. This way, a user can browse through his digital photo collection just like he would browse through his physical photo collection.

A disadvantage of this approach is that it is not very easy to use. Physical photo books do not have buttons to turn to the next page. A user merely has to turn the page, which is an intuitive and well-known mechanism. Mixing the metaphor of a book with interface elements that are not logical to put in a book makes the device not very easy to use.

It is an object of the invention to provide a device according to the preamble, which allows for an easy, simple and intuitive way to browse an image collection.

This object is achieved in a device which is characterized in that the browsing means is arranged to show the sequence by continuously scrolling the sequence in the browsing area. When the sequence is scrolling by next to the display area, it is immediately obvious that a user can select an image from the scrolling sequence and have it shown on the display area. The sequence can be scrolled with varying degrees of smoothness. For example, the sequence can be scrolled by fits and starts, or by simply bumping the lower- or uppermost representation from the screen, moving the others down or up, respectively, and showing a next representation at the space thusly freed. Since the sequence is scrolling automatically, it is very easy to use, as no buttons need to be pressed or other action needs to be taken to view more representations than would fit on a display. The user can simply select images by e.g. clicking on the representations and view them on the display area as they scroll by.

Although scrolling is often implemented as showing portions of a sequence in a linear fashion, this does not necessarily have to be the case. The browsing area could be positioned in a circular fashion around the display area, so that the sequence could be scrolled around the image being shown. Scrolling in nonlinear directions could also be used, for example by making the sequence follow a predetermined path, or a path input by a user.

In an embodiment a representation is shown together with a border area, and the browsing means is arranged to show, in response to a selection of a border area of a representation, representations in the sequence belonging to the same category as the representation whose border area is selected. An advantage of this embodiment is that a border area can be used as an intuitive indicator of things associated with a representation. Selecting a border area then simply means "this type of image". The device can then filter out the representations which do not belong to the thusly selected category, and so limit the user's choices. This is particularly efficient for large image collections with many categories, as now an illustrative image can be shown for each category, and selecting that category immediately gives access to all the images in that category. Alternatively, the category could comprise subcategories, each indicated by a further illustrative image, so that hierarchically organized image collections can also be browsed efficiently.

In a further embodiment the selection of a representation comprises dragging the representation from the browsing area to the display area. Dragging a representation to an area where the corresponding image can be shown is a very intuitive way of manipulating images. The same action can also be used to apply other actions to the image, such as deleting it by dragging it to a trashcan. This provides a consistent interface for the device.

In a further embodiment a speed of the scrolling of the sequence is varied in accordance with a speed of an input stroke in the browsing area. An advantage of this embodiment is that it provides an intuitive way of varying the scrolling speed. A user now gets the impression that the scrolling can be accelerated or decelerated just like a wheel. The resulting speed may depend on whether the input stroke ends within or outside the browsing area. In the former case, the acceleration may be temporary and succeeded by a deceleration and eventual halting of the scrolling. The browsing means may simulate inertia and friction, for example, by gradually decreasing the scrolling speed, instead of instantaneously stopping the scrolling, in response to the user touching the browsing area. Similarly, the induced speed increase may be gradual, thus strengthening the impression of spinning a wheel.

In a further embodiment a direction of the scrolling of the sequence is varied in accordance with a direction of an input stroke in the browsing area. An advantage of this embodiment is that it provides an intuitive way of changing the direction of the scrolling. A user now gets the impression that the scrolling can be manipulated just like a wheel. Making the input stroke in a direction opposite to the current direction of the scrolling will reverse it. For nonlinear scrolling techniques the direction should be adapted to follow the direction of the input stroke.

In a further embodiment the browsing means is arranged to show interleaved in the sequence a representation of a command, and the device is arranged to execute the command when the representation of the command is selected. An advantage of this embodiment is that it does away with the need for a special-purpose menu bar, list of icons or buttons or other command selection tool. As the user will already turn to the browsing area for selecting an image, the browsing area is the most logical place to provide access to commands as well. Possible suitable commands could be turning the device off, changing a background color or other configuration setting, or to navigate between categories or category levels. For instance, a representation of the text "Back" could be shown, and selecting it would result in the browsing area showing a higher-level category.

It is an object of the invention to provide a method according to the preamble, which allows for an easy, simple and intuitive way to browse an image collection.

This object is achieved in a method which is characterized in that the sequence is shown by continuously scrolling the sequence in the browsing area.

The invention further relates to a computer program product enabling a programmable device when executing said computer program product to function as a device according to the invention.

These and other aspects of the invention will be apparent from and elucidated with reference to the embodiments shown in the drawing, in which:

Figure 1 schematically shows a device according to the invention; and

Figure 2 schematically shows a sequence of representations.

Throughout the figures, same reference numerals indicate similar or corresponding features. Some of the features indicated in the drawings are typically implemented in software, and as such represent software entities, such as software modules or objects.

Figure 1 shows a device 100 for browsing an image collection, comprising browsing means 101 for showing a sequence 102 of representations in a browsing area 103, each representation corresponding to an image from the image collection. The device 100 further comprises display means 104 for showing in a display area 106 an image from the

image collection. When a user makes a selection 105 from the sequence 102, the image corresponding to the selected representation is shown in the display area 106.

The image collection can comprise a collection of photos, pictures or drawings, where for each photo, picture or drawing a representation is provided. This representation could be an icon or thumbnail, either generated automatically by software or generated manually by a user or operator. The image collection could also comprise one or more video streams. In that case, the representations could be key frames corresponding to portions of the video stream or streams. Selecting a representation will then result in a corresponding moving image, i.e. the corresponding portion of a video stream, being shown.

The browsing area 103 and the display area 106 can for instance be two graphical windows on a computer screen, or be portions of the same window. Using two separate windows allows independent manipulation of the size and the position of each. In hand-held devices such as digital cameras only limited display screen space is available, so there the same display screen is used for both the browsing area 103 and the display area 106, presented next to each other. It may also be useful to present the browsing area 103 and the display area 106 in a wholly or partially overlapping fashion.

The browsing means 101 is arranged to show the sequence 102 by continuously scrolling 107 the sequence 102 in the browsing area 103. The sequence 102 is usually too large to fit in the browsing area 103 completely. This is indicated in Figure 1 by showing the portions of the sequence 102 that do not fit in the browsing area 103 in a dashed form. The scrolling 107 will result in those portions being shown eventually.

A typical way of implementing scrolling 107 is by presenting the representations in a linear list, either horizontally or vertically, which is moved in an appropriate direction. For a vertical list, as shown in Figure 1, the sequence 102 is moved downward. Of course, other directions are also possible. It is not even necessary for the representations to be presented as a linear list. The browsing area 103 could be positioned in a curved form around the display area 106, so that the sequence 102 is scrolled around the display area 106. The browsing area 103 could also be positioned at the straight or curved edge of the device, so that it is easy to locate and use for a user. The scrolling 107 could also follow a semi-random pattern in the browsing area 103.

In a vertical list, a number of representations from the sequence 102 are shown in the browsing area 103. Typically, these representations move down at a certain speed, and the lowermost representation currently being shown is gradually hidden from view. At the same time, a previously hidden representation, which in the sequence follows the uppermost

representation currently being shown, is gradually brought into view. The scrolling 107 of the sequence 102 can be made infinitely long by letting the first representation in the sequence 102 follow the last representation, or by automatically reversing the direction of the scrolling 107. Alternatively, the representations could move down by fits and starts instead of moving down gradually.

Instead of gradually moving down the representations at a certain speed, the complete set of representations currently being shown could also be moved down at regular intervals, so that the lowermost representation completely falls outside the browsing area 103. This gives an available space at the top of the browsing area 103, in which a previously hidden representation can then be shown.

It should be clear that the above techniques can easily be adapted for situations in which horizontal or nonlinear scrolling is desired.

The selection 105 of a representation preferably comprises dragging the representation from the browsing area 103 to the display area 106. It could also comprise clicking with a mouse pointer or other input device on the representation, or a voice command identifying a representation. It could also comprise an instruction from another device, connected to the device 100, which controls the device 100.

The speed of the scrolling 107 should be low enough to allow a user to browse the image collection. However, different users have different opinions on what constitutes "low enough". To accommodate this, the device 100 allows a user to enter an input stroke in the browsing area 103. This input stroke could be made with a finger, or with a stylus or other input device. The speed of the scrolling 107 of the sequence 102 is varied in accordance with the speed of said input stroke. If the stroke was made very quickly, this is an indicator that the speed of the scrolling 107 should be increased, and similarly for slow strokes the speed should be decreased. The pressure exerted by the user could be measured, and an acceleration or de-acceleration in dependence of the measured pressure could be performed. If the user enters the input stroke with a stroking gesture into the flow direction, the flow speed increases whereby the acceleration depends on the speed of the input stroke. If the stroke ends outside the browsing area 103, the flow speed remains at the higher level, or, in an alternative embodiment, gradually decreases to the original level. If the stroking gesture ends inside the flow zone 102, the flow stops or de-accelerates, dependent on whether friction is simulated.

Similarly, the direction of an input stroke in the browsing area 103 can be used to vary the direction of the scrolling 107 of the sequence 102. If the input stroke is in the

direction opposite to the direction of the scrolling 107, the scrolling 107 should now go in the reverse direction. The speed of the scrolling 107 can be made dependent on the speed of the input stroke, as described above.

The device 100 could be arranged to learn from the user's behavior. For instance, the default direction and speed of the scrolling 107 could be changed when the user provides the appropriate input stroke. This way, the user has to change the speed and direction only once to have the device 100 suit his or her tastes. If the device 100 is further equipped with user identification means 108, the default direction and speed of the scrolling 107 could be changed whenever another user is identified, so that each user can use the device 100 according to his or her own tastes.

To facilitate the execution of commands, the browsing means 101 can be arranged to show interleaved in the sequence 102 a representation of a command. In the sequence 102 as shown in Figure 1, the representation of the command "Settings" is shown. When the representation of the command is selected, the command will be executed. In this case, a settings menu will come up. This settings menu can be presented in the display area 106, or it can be presented as a new sequence of commands in the browsing area 103, interleaved with representations of images or with the representations removed from view.

In Figure 2, a more detailed view of the sequence 102 of representations is shown. Note that in Figure 1, portions of the sequence were shown dashed to indicate that they were not presently being shown on the display area 103. Figure 2 shows the sequence 102, comprising representations of images 200, 202, 204 and 208. These are shown together with respective border areas 201, 203, 205 and 209. The border area is in this embodiment presented to look like the edges of a roll of film, with appropriate holes for a reel. This makes the display of the sequence 102 easy to recognize for a user. Of course other presentations are also possible.

Interleaved with the representations of images 200, 202, 204 and 208 is the representation 206 of a command, in the shown example the command "Settings". When this representation 206 is selected, a settings configuration menu will be shown by the device, as described above with reference to Figure 1.

When border areas are used, the user can in addition to selecting a representation 200, 202, 204, 208, also select the border area 201, 203, 205, 209 of one such representation. When this happens, the browsing means 101 determines which category the representation whose border area is selected belongs to, and then shows only the representations belonging to that category. The representation 206 of a command may also

have a border area 207, if only to provide a consistent presentation of the whole sequence 102. Selecting the border area 207 may have the same effect as selecting the representation 206 of a command, or may show all available commands. The available commands can be seen as a category of some kind, so it is logical to have the category selection mechanism work this way for commands.

When there are many categories and many images, it is now possible to show an illustrative image for each category. Selecting that category then gives access to all the images in that category. A hierarchical organization of categories and subcategories also becomes possible. Each subcategory could be indicated by a further illustrative image, and selecting the border area of the illustrative image will show the corresponding subcategory. In this case, a means should be provided to navigate to a hierarchically higher-level category, for instance by providing a representation of a command such as "Back" or "Up" interleaved the sequence 102.

An alternative way to present categories is to employ images of photo rolls, each roll corresponding to a category or an image collection. Selecting a roll allows browsing the corresponding image collection using the browsing area 103. Since the metaphor of the photo roll is already used to present a single image collection, the metaphor of multiple photo rolls for multiple image collections is very suitable.

Although the invention has been described with reference to particular illustrative embodiments, variants and modifications are possible within the scope of the inventive concept. Thus, for example, "continuously scrolling" comprises scrolling in a variety of ways, such as scrolling smoothly, by fits and starts, or by moving the sequence 102 at regular intervals. The invention can be implemented by means of hardware comprising several distinct elements, and by means of a suitably programmed computer, in the device claim enumerating several means, several of these means can be embodied by one and the same item of hardware. Thus, for example, the browsing means 101 and the display means 104 could be formed by one and the same piece of hardware or as a single computer program which comprises code for executing the functions of both.

The word "comprising" does not exclude the presence of other elements or steps than those listed in a claim. In the claims, any reference signs placed between parentheses shall not be construed as limiting the claim.

A "computer program" is to be understood as any software product stored on a computer-readable medium, such as a floppy disk, downloadable via a network such as the Internet, or marketable in any other manner.

CLAIMS:

1. A device (100) for browsing an image collection, comprising browsing means (101) for showing a sequence (102) of representations (200, 202, 204, 208) in a browsing area (103), each representation (200, 202, 204, 208) corresponding to an image from the image collection, and display means (104) for showing, in response to a selection (105) of a representation (200, 202, 204, 208) from said sequence (102), in a display area (106) an image from the image collection corresponding to the selected representation (200, 202, 204, 208), characterized in that the browsing means (101) is arranged to show the sequence (102) by continuously scrolling (107) the sequence (102) in the browsing area (103).

2. A device (100) as claimed in claim 1, characterized in that a representation (200, 202, 204, 208) is shown together with a border area (201, 203, 205, 209), and the browsing means (101) is arranged to show, in response to a selection (105) of a border area (201, 203, 205, 209) of a representation (200, 202, 204, 208), representations (200, 202, 204, 208) in the sequence (102) belonging to the same category as the representation (200, 202, 204, 208) whose border area (201, 203, 205, 209) is selected.

3. A device (100) as claimed in claim 1, characterized in that the selection (105) of a representation (200, 202, 204, 208) comprises dragging the representation (200, 202, 204, 208) from the browsing area (103) to the display area (106).

4. A device (100) as claimed in claim 1, characterized in that a speed of the scrolling (107) of the sequence (102) is varied in accordance with a speed of an input stroke in the browsing area (103).

5. A device (100) as claimed in claim 1, characterized in that a direction of the scrolling (107) of the sequence (102) is varied in accordance with a direction of an input stroke in the browsing area (103).

6. A device (100) as claimed in claim 1, characterized in that the browsing means (101) is arranged to show interleaved in the sequence (102) a representation (206) of a command, and the device (100) is arranged to execute the command when the representation (206) of the command is selected.

7. A method of browsing an image collection, comprising showing a sequence (102) of representations (200, 202, 204, 208) in a browsing area (103), each representation (200, 202, 204, 208) corresponding to an image from the image collection, and showing, in response to a selection (105) of a representation (200, 202, 204, 208) from said sequence (102), in a display area (106) an image from the image collection corresponding to the selected representation (200, 202, 204, 208), characterized in that the sequence (102) is shown by continuously scrolling (107) the sequence (102) in the browsing area (103).

8. A computer program product enabling a programmable device when executing said computer program product to function as a device (100) as defined in any one of the claims 1-6.

ABSTRACT:

A device (100) (100) for browsing an image collection shows a continuously scrolling sequence (102) of representations (200, 202, 204, 206, 208) of images and commands in a browsing area (103). A user can select (105) a representation, which results in the full image being shown in a display area (106), or in the command being executed. Speed and direction of the scrolling (107) can be varied with an input stroke in the browsing area (103). The representations (200, 202, 204, 206, 208) could be shown together with border areas (201, 203, 205, 207, 209), which when selected limit the sequence (102) to the representations (200, 202, 204, 206, 208) belonging to the same category as the representation whose border area was selected. A general purpose computer can be programmed to function as the device (100) (100) by means of a computer program product.

Fig. 1




FIG. 1




FIG. 2

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY
(includes Reference to PCT International Applications)

ATTORNEY'S DOCKET
NUMBER
PHNL000372 US

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **"Device and method of browsing an image collection"** ✓
the specification of which (check only one item below):

☐ is attached hereto.

☐ was filed as United States application

Serial No _____

on _____

and was amended

on _____

☒ was filed as PCT international application

Number PCT/EP00/10286 ✓

on 18 October 2000 ✓

and was amended under PCT Article 19

on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER 35 USC 119
Europe	99203442.1 ✓	20 October 1999 ✓	YES
Europe	00202237.4 ✓	28 June 2000 ✓	YES

U.S. DEPARTMENT OF COMMERCE - Patent and Trademarks Office
(July 1994)

Combined Declaration For Patent Application and Power of Attorney (Continued)
(includes Reference to PCT International Applications)

Attorneys Docket Number
PHNL000372 US

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Jack E. Haken, Reg. No. 26,902
Michael E. Marion, Reg. No. 32, 66 6
Edward M. Blocker, Reg. No. 30,245

Direct Telephone Calls to:
(name and telephone number)
(914)332-0222

1-60	201	FULL NAME OF INVENTOR VAN DEN HOVEN	FAMILY NAME Elise	FIRST GIVEN NAME Anna Walthera Hendrina	SECOND GIVEN NAME The Netherlands
		RESIDENCE & CITIZENSHIP Eindhoven	CITY The Netherlands	STATE OR FOREIGN COUNTRY The Netherlands	COUNTRY OF CITIZENSHIP The Netherlands
		POST OFFICE ADDRESS Prof. Holstlaan 6	CITY 5656 AA Eindhoven	STATE & ZIP CODE/COUNTRY The Netherlands	
2-50	202	FULL NAME OF INVENTOR EGGEN	FAMILY NAME Josephus	FIRST GIVEN NAME Hubertus	SECOND GIVEN NAME The Netherlands
		RESIDENCE & CITIZENSHIP Eindhoven	CITY The Netherlands	STATE OR FOREIGN COUNTRY The Netherlands	COUNTRY OF CITIZENSHIP The Netherlands
		POST OFFICE ADDRESS Prof. Holstlaan 6	CITY 5656 AA Eindhoven	STATE & ZIP CODE/COUNTRY The Netherlands	
3-40	203	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
		RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY	
4-50	204	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
		RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY	
5-60	205	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
		RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 if Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201 CITY <i>Elise van den Hoven</i>	SIGNATURE OF INVENTOR 202 <i>[Signature]</i>	SIGNATURE OF INVENTOR 203
DATE 10th May 2001	DATE 10th May 2001	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	
DATE	DATE	

U.S. DEPARTMENT OF COMMERCE- Patent and Trademarks Office

(July 1994)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

ELISE A.W.H. VAN DEN HOVEN ET AL.

NL 000372

Filed: CONCURRENTLY

DEVICE AND METHOD OF BROWSING AN IMAGE COLLECTION

Commissioner for Patents, Washington, D.C. 20231

APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:

RUSSELL GROSS(Registration No. 40,007)

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580 White Plains Road, Tarrytown, New York 10591, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,



Michael E. Marion, Reg. 32,266
Attorney of Record

Dated at Tarrytown, New York
on June 13, 2001.